

HEADLIGHT CLEAR COAT 1K

PRODUCT

Quick drying spray paint to renew opaque and/or yellowed headlights.

PROPERTIES AND FIELDS OF USE

Clear coat easy to apply, for professional and hobby use. For indoor and outdoor. Quick drying, not yellowing. Excellent resistance to weather agents and light.

Ideal for: AUTOMOTIVE- BODYWORK.

SURFACES

High adhesion on headlight domes after treatment of the surface - see INSTRUCTIONS FOR USE.

Incompatibility: do not apply on surfaces with residues of products containing silicones.

TECHNICAL SPECIFICATIONS

Binder type	Modified acrylic (Butyl and methyl methacrylates)
Yield	1.5-2 m ²
Pressure at 20 °C	From 4.2 to 4.8 bars
Pressure at 50 °C	From 7.6 to 8.4 bars
COV	see SDS Sec. 9.1 and 15.3
Gloss level:	80/85 Gloss at 60°
Maximum temperature:	80-100 °C
Drying time:	
Dust-free	5-8 minutes
Dry to touch	15-20 minutes
Deep dry	16-20 hours

INSTRUCTIONS FOR USE

Before use carefully read the instructions on the can and consult the SDS for safe handling of the product (Sec. 7.1).

Use between 10 and 25 °C on surfaces at the same temperature, in well ventilated environments. Mask the parts not to be treated. Remove residues of dirt or not anchored paint. Degrease. Sand all the headlight evenly with 600 grit sandpaper to remove surface scratches and yellowing. Then sand with 800 grit sandpaper to make the surface paintable. Clean thoroughly, possibly with a dust cloth. Shake the can vigorously for approx. 2 minutes from the moment you feel the mixing balls. Make a spray test on a separate surface. Spray a light layer at cross passes, from a distance of 20-25 cm. Give a second coat after about 15 minutes. Every time you finish the application, turn the can upside down and spray for a few seconds until the product comes out so you can clean the valve and the spray head.

For further information refer to the SDS: labelling (Sec. 2.2), storage (Sec. 7.2) and disposal (Sec. 13).



Sede Legale, Amministrativa e Operativa: Via Benvenuto Cellini 26, 20033 Solaro (Mi)

C.C.I.A.A. Milano 1172121

Codice fiscale e Partita IVA: 01485370124

Capitale sociale: Euro 1.000.000,00 interamente versato

Contacts: Phone: +39 02 9690664 Fax: +39 02 9691714

Website: www.colorpack.com Email: info@colorpack.com

SDI CODE: BY5KTZZ

EXEMPTION FROM LIABILITY

The information contained in this document is provided to the best of our scientific knowledge. However, they should be regarded as non-binding indications and do not release the consumer from personally carrying out checks on the products as to their compatibility with their intended uses. Colorpack Srl is relieved of any liability if any damage is not link to specific causes attributable to the same Colorpack Srl.

THE LABORATORY/QMS



Sede Legale, Amministrativa e Operativa: Via Benvenuto Cellini 26, 20033 Solaro (Mi)

C.C.I.A.A. Milano 1172121

Codice fiscale e Partita IVA: 01485370124

Capitale sociale: Euro 1.000.000,00 interamente versato

Contacts: Phone: +39 02 9690664 Fax: +39 02 9691714

Website: www.colorpack.com **Email:** info@colorpack.com

SDI CODE: **BY5KTZZ**